

STATIC FITTINGS FOR LDPE PIPE

Static fittings have been designed to suit Low Density Polyethylene (LDPE) pipe with an expected maximum pressure of 300 kPa. The metric sizes referred to from 6 to 32 mm are nominal inside diameter. The actual inside diameters are imperial sizes; $\frac{1}{4}$ " [6 mm], $\frac{3}{8}$ " [10 mm], $\frac{1}{2}$ " [13 mm], $\frac{5}{8}$ " [16 mm], $\frac{3}{4}$ " [19 mm], 1" [25 mm] and $1\frac{1}{4}$ " [32 mm].

		ORDER	CARTON			
PRODUCT NO.	DESCRIPTION	QUANTITY	QUANTITY			

JOINERS - Barbed for LD Pipe

14HJ	6 mm	100	5,000
38HJ	10 mm	25	2,400
12HJ	13 mm	25	1,500
58HJ	16 mm	25	800
34HJ	19 mm	25	600
10HJ	25 mm	25	300
L10HJ	25 mm Long	25	300
114HJ	32 mm	10	160

REDUCING JOINERS - Barbed for LD Pipe

RJ5612	8 mm x 13 mm	25	1,500
RJ3814	10 mm x 6 mm	25	2,500
RJ1214	13 mm x 6 mm	25	1,500
RJ1238	13 mm x 10 mm	25	1,500
RJ5812	16 mm x 13 mm	25	1,000
RJ3412	19 mm x 13 mm	25	700
RJ3458	19 mm x 16 mm	25	600
RJ1012	25 mm x 13 mm	25	500
RJ1034	25 mm x 19 mm	25	400
RJ11410	32 mm x 25 mm	25	200

TEES - Barbed for LD Pipe

T14	6 mm	100	3,000
T38	10 mm	25	1,000
T12	13 mm	25	600
T58	16 mm	25	450
T34	19 mm	25	300
T10	25 mm	25	175
T114	32 mm	25	75

REDUCING TEES - Barbed for LD Pipe

1238RT	13 mm line x 10 mm branch	25	600
5812RT	16 mm line x 13 mm branch	25	400
3412RT	19 mm line x 13 mm branch	25	300
3458RT	19 mm line x 16 mm branch	25	300
1012RT	25 mm line x 13 mm branch	25	175
1058RT	25 mm line x 16 mm branch	25	200
1034RT	25 mm line x 19 mm branch	25	175
11434RT	32 mm line x 19 mm branch	25	100
11410RT	32 mm line x 25 mm branch	25	100

* Please note that not all products on the page may be Australian made.



		ORDER	CARTON			
PRODUCT NO.	DESCRIPTION	QUANTITY	QUANTITY			

INCREASING TEES - Barbed for LD Pipe

IT1258	13 mm line x 16 mm branch	25	500
IT1234	13 mm line x 19 mm branch	25	400
IT5834	16 mm line x 19 mm branch	25	400
IT3410	19 mm line x 25 mm branch	25	200

THREADED TEES (FEMALE) - Barb x Female BSP

T12G12F	13 mm line x 1/2" BSP branch	25	250
T34G12F	19 mm line x 1/2" BSP branch	25	200
T10G12F	25 mm line x 1/2" BSP branch	25	150

THREADED TEES (MALE) - Barb x Male BSP

T12G12M	13 mm line x 1/2" BSP branch	25	450
T34G12M	19 mm line x 1/2" BSP branch	25	300
T3434M	19 mm line x 3/4" BSP branch	25	250
T10G12M	25 mm line x 1/2" BSP branch	25	200
T10G34M	25 mm line x 3/4" BSP branch	25	150
T114G12M	32 mm line x 1/2" BSP branch	25	100

ELBOWS 90° - Barbed for LD Pipe

E14	6 mm	100	5,000
E38	10 mm	25	1,600
E12	13 mm	25	1,000
E58	16 mm	25	600
E34	19 mm	25	450
E10	25 mm	25	250
E114	32 mm	25	100

THREADED ELBOWS 90° (FEMALE) - Barb x Female BSP

E12G12F	13 mm x 1/2" BSP	25	350
E34G12F	19 mm x 1/2" BSP	25	250
E10G12F	25 mm x 1/2" BSP	25	200

THREADED ELBOWS 90° (MALE) - Barb x Male BSP

E12G12M	13 mm x 1/2"	25	700
E34G12M	19 mm x 1/2"	25	400
E3434M	19 mm x 3/4"	25	400
E10G12M	25 mm x 1/2"	25	250
E10G34M	25 mm x 3/4"	25	225

* Please note that not all products on the page may be Australian made.



STATIC FITTINGS FOR LDPE PIPE



		ORDER	CARTON	RRP (Each)		
PRODUCT NO.	DESCRIPTION	QUANTITY	QUANTITY	Incl GST		

CORNER ELBOW 90° (MALE) - Barb x Male BSP

3CJ	19 mm x 1/2" BSP branch	25	250
-----	-------------------------	----	-----

DIRECTORS - Barb x Male BSP

D3812	10 mm x 1/2" BSP	25	1,000
D1214	13 mm x 1/4" BSP with washer	25	1,200
D1212	13 mm x 1/2" BSP	25	1,000
D1234	13 mm x 3/4" BSP	25	800
D1325	13 mm x 1" BSP	25	350
D5812	16 mm x 1/2" BSP	25	900
D3412	19 mm x 1/2" BSP	25	700
D3434	19 mm x 3/4" BSP	25	500
D1925	19 mm x 1" BSP	25	300
D1034	25 mm x 3/4" BSP	25	350
D1010	25 mm x 1" BSP	25	250
D11410	32 mm x 1" BSP	25	200



FOUR WAY CROSS - Barbed for LD Pipe

C12	13 mm	25	400
-----	-------	----	-----



SNAP COUPLINGS - Barb x Male Snap-On

AS13	13 mm x 13 mm	25	1,250
AS1319	19 mm x 13 mm	25	500

Snap Coupler suits garden hose snap-on quick connectors

NUTS & TAILS (WITH WASHER) - Female BSP x Barb

N3412	3/4" BSP x 13 mm	25	450
N3458	3/4" BSP x 16 mm	25	450
N3434	3/4" BSP x 19 mm	25	400
N1012	1" BSP x 13 mm	25	325
N1058	1" BSP x 16 mm	25	350
N1034	1" BSP x 19 mm	25	300
N1010	1" BSP x 25 mm	25	200



NUT & TAIL (WITH WASHER) - Female BSP x Male BSP

N1034M	1" BSP x 3/4" BSP	25	300
--------	-------------------	----	-----



BACK TO BACK NUTS - Female BSP x Female BSP

BBN3434	3/4" BSP x 3/4" BSP	25	300
BBN1010	1" BSP x 1" BSP	25	150



NUTS (WITH HOLE) - Female BSP

N34	3/4" BSP	25	700
-----	----------	----	-----



* Please note that not all products on the page may be Australian made.

STATIC FITTINGS FOR LDPE PIPE

		ORDER	CARTON			
PRODUCT NO.	DESCRIPTION	QUANTITY	QUANTITY			

BLANK NUT WITH WASHER - Female BSP

BN34	3/4" BSP	25	600
BN10	1" BSP	25	500

END PLUGS - Barbed for LD Pipe

EP38	10 mm	25	2,500
EP12	13 mm	25	2,500
EP58	16 mm	25	1,000
EP34	19 mm	25	1,000
EP10	25 mm	25	650
EP114	32 mm	25	300

SEALING SLEEVES

SS12	13 mm	25	600
SS58	16 mm	25	400
SS34	19 mm	25	1,600

Alternative to End Plug. Fold PE tube back and forth to seal, secure with Sealing Sleeve

PIPE SADDLE CLAMPS

PC13	13 mm	100	3,000
PC34	19 mm	100	1,600
SR4	4mm Tube	100	6,000

VALVE QUICK ACTION - Barb x Barb

VQA38	10 mm x 10 mm	20	360
VQA12	13 mm x 13 mm	20	300
VQA58	16 mm x 16 mm	20	240
VQA34	19 mm x 19 mm	20	100
VQA10	25 mm x 25 mm	20	80

Philmac recommend the use of Ratchet or Tube Clips with valves

VALVE QUICK ACTION - Barb x Male Thread

VT1212	13mm barb x 1/2" BSP male	50	250
VT1234	13mm barb x 3/4" BSP male	50	250

Philmac recommend the use of Ratchet or Tube Clips with valves

* Please note that not all products on the page may be Australian made.



SS34



SS12/58



SR4



PC34



VQA34



VQA10



VT1234

	SUITS	NOMINAL TUBE	DIAMETER	ORDER	CARTON			
PRODUCT NO.	POLY PIPE	DIAMETER (mm)	RANGE (mm)	QUANTITY	QUANTITY			

RATCHET CLIPS

CT13	10 mm	13 mm	12-13	100	4000
CT15	13 mm	15 mm	15	100	3500
CT17	15 mm	17 mm	16-18	100	2500
CT19	16 mm	19 mm	18-19	100	3000
CT23	19 mm	23 mm	22-23	100	2000
CT29	25 mm	29 mm	27-30	100	1200
CT32	29 mm	32 mm	30-33	50	1000
CT37	32 mm	37 mm	35-38	100	1000



PRODUCT NO.	CLAMPING RANGE	ORDER QUANTITY	COLOUR	RRP (Each) Incl GST		
-------------	----------------	----------------	--------	---------------------	--	--


TUBE CLIPS - W4 STAINLESS STEEL - Suits Poly Pipe

R86120100	12.5-14.0 mm	100	Black
R86140100	14.5-16.0 mm	100	Violet
R86145100	15.0-16.5 mm	100	Black
R86160100	16.5-18.0 mm	100	Green
R86165100	17.0-19.0 mm	100	Violet
R96175100	18.0-20.0 mm	100	White
R96190100	19.5-21.0 mm	100	Violet
R96195100	20.0-22.0 mm	100	Black
R96205100	21.0-23.0 mm	100	Yellow
R96210100	21.5-23.5 mm	100	Green
R96250100	25.5-28.0 mm	100	White
R96255100	26.0-28.5 mm	100	Yellow
R96275100	28.0-30.0 mm	100	White
R96335100	34.0-36.0 mm	100	Green
R96350100	35.5-38.0 mm	100	White
CLIP-PLIERS	PLIERS FOR TUBE CLIPS	1	-
CLIP-PINCERS	PINCERS FOR TUBE CLIPS	1	-

* Please note that not all products on the page may be Australian made.



CLIP-PINCERS



CLIP-PLIERS

PRESSURE CONTROLLERS & FILTERS

		ORDER	CARTON			
PRODUCT NO.	DESCRIPTION	QUANTITY	QUANTITY			

FILTERS - With 300 Micron (50 mesh) Cartridge

1-IS-12BB	13 mm barb inlet/outlet	1	50
1-IS-58BB	16 mm barb inlet/outlet	1	50
1-IS-34BB	19 mm barb inlet/outlet	1	50
1-IS-10BB	25 mm barb inlet/outlet	1	50

Includes 1-IS-B black case, 2 end caps and BC-50 50 mesh filter

FILTER CASES - 1" BSP Male Threads

1-IS-B	Black	20	120
1-IS-C	Clear poly carbonate	20	120

FILTER CARTRIDGES ONLY

AC-30	500 micron (30 mesh)	20	260
BC-50	300 micron (50 mesh)	20	260

* Please note that not all products on the page may be Australian made.





		ORDER	CARTON			
PRODUCT NO.	DESCRIPTION	QUANTITY	QUANTITY			

GROMMETS

GROMMET - DOUBLE FLANGED RUBBER -

For Thin Walled PVC Pipes Only

GR56	8 mm ID to suit T05612	50	6,000
GR34	19 mm ID to suit T03458, T03434, T03410 & T03114	50	900

GROMMET - TOP HAT

Suits Any Rigid Pipe (PVC, MDPE, HDPE, GI etc)

GR12TH	13 mm ID to suit T01234 & T01212	50	2,500
GR58TH	16 mm ID to suit T05812 & T05858	50	1,500
GR34TH	19 mm ID to suit T03458, T03434, T03410 & T05858	50	1,000



TAKE OFFS - Suit Grommets

TAKE OFF - To Suit 8 mm ID Grommet

T05612	8 mm x 13 mm	50	1,000
--------	--------------	----	-------

TAKE OFFS - To Suit 13 mm ID Grommet

T01212	13 mm x 13mm	50	1,000
T01234	13 mm x 19mm	50	500



TAKE OFFS - To Suit 16 mm ID Grommet

T05812	16 mm x 13mm	50	600
T05858	16 mm x 16mm	50	650

TAKE OFFS - To Suit 19 mm ID Grommet

T03458	19 mm x 16mm	50	400
T03434	19 mm x 19mm	50	400
T03410	19 mm x 25mm	50	250
T034114	19 mm x 32mm	50	100

TAKE OFFS - Direct Insertion (No Grommet)

T00610	6 mm insert x 10 mm tail	50	2,000
T0E0610	90° elbow - 6 mm insert x 10 mm tail	50	1,500

* Please note that not all products on the page may be Australian made.

TAPE LOCK FITTINGS FOR 5/8" [16mm] TAPE

		ORDER	CARTON			
PRODUCT NO.	DESCRIPTION	QUANTITY	QUANTITY			

TAPE-LOCK LAYFLAT CONNECTOR

LF1625	2 5mm tear drop x drip tape 5/8" [16 mm]	50	300
--------	---	----	-----



TAPE-LOCK TAKE OFFS - To suit Top-Hat Grommets

TLT013	13 mm [GR12TH] x drip tape 5/8" [16 mm]	50	300
TLT016	16 mm [GR58TH] x drip tape 5/8" [16 mm]	50	300

TAPE-LOCK TAKE OFFS - To suit LD pipe

TLT013	13 mm pipe x drip tape 5/8" [16 mm]	50	300
TLT016	16 mm pipe x drip tape 5/8" [16 mm]	50	300



TAPE-LOCK TEES - Drip Tape x LD Pipe

TLT13	5/8" [16 mm] x 13mm branch	50	150
TLT16	5/8" [16 mm] x 16mm branch	50	150



TAPE-LOCK CONNECTOR (JOINER) - Drip Tape x Drip Tape

TLJ16	5/8" [16 mm] x 5/8" [16 mm]	50	250
-------	-----------------------------	----	-----



TAPE-LOCK QUICK ACTION VALVE - LD Pipe x Drip Tape

TLV13	13 mm x 5/8" [16 mm]	20	160
-------	----------------------	----	-----



FLUSHING VALVES (to suit Drip-Tape)

TLVF5	Red cap - Seals at 5 kPa	50	300
TLVF12	Black cap - Seals at 12 kPa	50	300



* Please note that not all products on the page may be Australian made.

STAKES & HEADS



DWS



STO



PS34



HD4



HD5



CPS1010

		ORDER	CARTON			
PRODUCT NO.	DESCRIPTION	QUANTITY	QUANTITY			

JET STAKE - For Rigid or Flexible Tube

DWS	Suits 4 mm and 5 mm tube	10	180
-----	--------------------------	----	-----

accept 4mm threaded sprays

COMBI STAKE - For Fitting a Separate Head

STO	Suits HD4, HD5, HD10S heads	50	400
-----	-----------------------------	----	-----

While
Stocks
Last

CLIP STAKES - Secures LD Poly Pipe Horizontally

PS12	For 13mm LD poly pipe	25	750
------	-----------------------	----	-----

HEADS - To Suit Combi Stake (STO)

HD4	Inlet 4mm barb - Outlet, 4mm hole to accept 4mm threaded sprays	50	1,500
HD5	Inlet 5mm barb - Outlet, 3/8" female ID thread and 1/2" male OD thread	100	1,400

COLLAR PIPE STAKE HEADS - To Suit 26.7mm OD PVC Pipe

CPS1010	Bottom entry 10mm barb - Top outlet 3/8" female ID thread	100	200
CPS1013	Bottom entry 13mm barb - Top outlet, 3/8" female ID thread	100	200

* Please note that not all products on the page may be Australian made.

		ORDER	CARTON			
PRODUCT NO.	DESCRIPTION	QUANTITY	QUANTITY			

COMBINATION STAKE AND HEADS

ST05	Combi Stake (ST0) plus head (HD5)	250	
ST10	One piece stake and head - Inlet 10 mm barb - Outlet, 3/8" female ID thread and 1/2" male OD thread	220	
ST10S	Combi Stake (ST0) plus head with swivel elbow - Inlet 10 mm barb Outlet, 3/8" female ID thread and 1/2" male OD thread	240	



ASSEMBLED HEADS - Head, 0.5 m of Tube & Adaptor

HD4A	HD4 Stake head with 0.5 m x 4 mm tube and adaptor	25	200
HD5A	HD4 Stake head with 0.5 m x 5 mm tube and adaptor	50	300



ASSEMBLED STAKES - Stake, Head, 0.5 m of tube and Adaptor

LST4A	HD4A head assembly complete with ST0 stake	25	100
ST05A	HD5A head assembly complete with ST0 stake	25	175



ADAPTORS & ARTICULATED RISERS



		ORDER	CARTON			
PRODUCT NO.	DESCRIPTION	QUANTITY	QUANTITY			

SHRUB HEAD ADAPTOR for Rain Bird® Nozzles

6100R	Rain Bird® Compatible x 1/2" female BSP"	50	800
-------	--	----	-----

ADAPTORS - Male BSP x Female BSP

5615	1/2" male x 1/2" female BSP	50	700
5620	1/2" male x 3/4" female BSP	50	400
80 3902 00	1" male x 1" female BSP	50	200

ARTICULATED RISERS - With 3 Elbows & O-Rings

82 2903 00	1" male BSP x 300 mm	30	30
------------	----------------------	----	----

* Please note that not all products on the page may be Australian made.

		ORDER	CARTON			
PRODUCT NO.	DESCRIPTION	QUANTITY	QUANTITY			

COUPLER/JOINER/ADAPTOR - For 4 mm & 5 mm Tube

JAT	4 mm thread x 4 mm thread	100	12,000
A4BT	4 mm barb x 4 mm thread	100	10,000
JAB	4 mm barb x 4 mm barb	100	7,000
A05	5 mm short tail x 5 mm barb	50	6,000
T00505	Red - 5 mm barb x 5 mm barb	50	6,000



REDUCING COUPLER/JOINER - Suits Tube

AB54	5 mm barb x 4 mm barb	100	6,000
------	-----------------------	-----	-------

TEE - Suits Tube

T3M4M	Dual size barbs - 3 mm and 4 mm	100	6,000
TB4	4 mm barb	50	5,000

ELBOW - Suits Tube

EB4	4 mm barb	50	6,000
-----	-----------	----	-------

CROSS - Suits Tube

CB4	4 mm barbed	50	4,000
-----	-------------	----	-------

REPAIR PLUGS - Suits LD Pipe

PG4	4 mm	100	5,500
PR5	5 mm	100	4,000

Please note that the minimum order is 10 racks which equals 100 plugs

FLOW CONTROL VALVE - Suits Tube

V4T	4 mm Threaded	50	5,000
-----	---------------	----	-------

RISER ADAPTOR - Poly Threaded Riser x 4 mm Thread

A1204	1/2" female BSP x 4mm thread	25	900
-------	------------------------------	----	-----

RIGID RISER TUBE - 4 mm Threaded Inlet

RGR200	200 mm length	100	2300
RGR300	300 mm length	100	1800
RGR450	450 mm length	100	1100

FLEXIBLE PVC RISER TUBE - 4 mm (nominal) ID

FR5/39	3.9 mm x 5 metre coil	1	-
FR25/39	3.9 mm x 25 metre coil	1	-
FR50/39	3.9 mm x 50 metre coil	1	-
FR250/39	3.9 mm x 250 metre coil	1	-

FLEXIBLE PVC RISER TUBE - 5 mm (nominal) ID

FR50/5	Multiflex Riser Tube 5 mm x 50 metre coil	1	-
--------	---	---	---

* Please note that not all products on the page may be Australian made.

